

3in1

MarkNet - KLR650



[MarkNet Home](#)
[KLR650](#)
[Homepage](#)
[Computer Stuff](#)
[Contact](#)

[Links](#)

[Miscellaneous Info](#)

[Grease 101](#)

[Technical Articles](#)

[A1 Brochure](#)

[Conversions](#)

[KLR650 FAQ](#)

Forms

[Maintenance Log](#)
[Shim Record Chart](#)

Pictures

[Corbin Saddle](#)

[Procedures in PDF](#)

Procedures

[12v Waterproof Outlet](#)
[Acerbis Disk Installation](#)
[Balancer Adjustment](#)

This is a hobby website dedicated to the Kawasaki KLR650 motorcycle. I make no claim concerning the accuracy of the procedures, nor do I guarantee the success of any work done using them. All users of the material found here are advised that there is no real or implied warranty associated in any way with the website content, and that all content available here is for use at your own risk.

Copyright © 2001 Mark's KLR Pages

All Rights Reserved

No copying or other redistribution by any method will be permitted without my express written permission.

BASIC TORQUE VALUES

The following values were taken from the Kawasaki factory manuals for a year 2001 KLR650 (A15), and may not apply to all KLR's.

This is certainly not an all-inclusive list, just the more commonly used ones.

- Brake Pads
- Cam Chain Timing
- Carb Rain T-Mod
- Decalifornication
- Doohickey Upgrade
- Easy Lift
- Fork Oil Change
- Horn Upgrade
- Hydraulic Clutch
- JC Whitney Trunk
- Oil Screen Cleaning
- Radiator Cooling Mod
- Ramp Loading
- Safety Switch Bypass
- Shark Fin Installation
- Shim Storage Box
- Shim Value Table
- SuperBrace
- Swingarm Maint
- Torque Values
- Tube Valve Tools
- TWC Acc Fuse Kit
- TWC Fuse Relocation Kit
- Valve Adjustment
- Vista-Cruise Lock
- Water Pump Seals
- Wheel Alignment



Computer Guides for Geezers of Any Age!

Engine Sprocket Nut	98 N- m	10 Kg- m	72 Ft-lb
Wheel Sprocket Nuts	32 N- m	3.3Kg- m	24 Ft-lb

Rear Axle Nut	93 N- m	9.5 Kg-m	69 Ft-lb
Front Axle Nut	78 N- m	8.0 Kg-m	58 Ft-lb

Front Caliper Mounting Bolts	25 N- m	2.5 Kg-m	18 ft-lb
Rear Caliper Mounting Bolts	25 N- m	2.5 Kg-m	18 ft-lb
Disc Mounting Bolts	23 N- m	2.3 Kg-m	16.5 Ft-lb
Brake Bleeder	7.8 N- m	.80 Kg-m	69 In-lb

Swingarm Main Mounting Bolt Nut	98 N- m	10 Kg- m	72 Ft-lb
Upper Shock Mounting Bolt	59 N- m	6.0 Kg-m	43 Ft-lb
Fork Clamp Bolt Nuts	25 N- m	2.5 Kg-m	18 Ft-lb

Rear Frame Mounting Bolts	25 N- m	2.5 Kg-m	18 Ft-lb
Tie-Rod Bolt Nuts	98 N- m	10 Kg- m	72 Ft-lb
<hr/>			
Water Pump Cover Drain Bolt	7.8 N- m	0.8 Kg-m	69 In-lb
Fan Switch	7.4 N- m	.75 Kg-m	65 In-lb
Thermostat Housing Bolts	5.9 N- m	0.6 Kg-m	52 In-lb
Water Temperature Sender	15 N- m	1.5 Kg-m	11 Ft-lb
<hr/>			
Valve Cover Bolts	7.8 N- m	.80 Kg-m	69 In-lb
Camshaft Cap Bolts	12 N- m	1.2 Kg-m	104 In-lb
Cam Chain Tensioner Mounting Bolts	9.8 N- m	1.0 Kg-m	7.0 Ft-lb